

JULIUS ROEHRS COMPANY

RUTHERFORD, NEW JERSEY, U. S. A.

WHOLESALE LIST B — FERN DEPARTMENT

January 1, 1958

Phones: New York City — LOngacre 5-4228;

New Jersey: WEbster 9-0090, 91, 92.

LIBRARY
RECEIVED

★ MAR 11 1958 ★

U. S. Department of Agriculture

FERNS IN FLATS

Transplants, shipped as growing, in 14 x 20" flats (approx. 150 pl.) available June-September



flat of Birds-nest fern, *Asplenium nidus*



flat with transplants of *Pteris tremula*

	Price per flat
PTERIS adiantoides , dark green leathery foliage, similar to Holly fern, on wiry stems.....	\$ 7.00
PTERIS argyrea , broadleaved, feathered foliage with silvery center; robust grower.....	7.00
PTERIS cretica albo-lineata , medium high; clean-cut leathery leaf with broad cream-white stripe.	7.00
PTERIS flabellata , of medium height, dainty yet wiry, feathered foliage, very good keeper.....	7.00
PTERIS rivertoniana , medium size; evenly serrated, lacy foliage.....	7.00
PTERIS tremula , robust, fast growth, feathered grass-green fronds. Best for medium and larger Poinsettia pans.....	7.00
PTERIS victoriae , compact; graceful narrow foliage prettily variegated silver-white; good keeper.....	7.00
PTERIS wilsonii , compact habit; shapely crested fronds, for smaller Poinsettia pans.....	7.00
PTERIS wimsettii , strong growth, medium height; assorted serrated, plain and crested leaves, of good keeping quality for medium Poinsettia pans.....	7.00
FLAT OF ASSORTED PTERIS , fills the need for several varieties in smaller quantity.....	8.00
ADIANTUM wrightii , large leaved Maiden-hair fancy gloriosum type; young fronds reddish; very dainty and graceful.....	8.50
ASPIDIUM tsussimense , cute and tough little feathered fern, stays dwarf; ideal for terrarium.....	8.00
ASPLENIUM nidus-avis , Bird's-nest fern; broad and rounded light green waxy leaves.....	10.00
CYRTOMIUM rochefordianum compactum , Holly Fern; heavy leathery divided foliage, holly-like leaves with wavy edge.....	10.00

Quantity discounts on all flats — 10 flats up 5%

FERNS FROM POTS

	per 100
ADIANTUM wrightii , large-leaved Maiden-hair fern, very graceful, (Fall-Winter), 2¼" pots.....	30.00
CIBOTIUM schiedeii , all year as available, 2" pots.....	75.00
3" pots.....	125.00
PELLAEA rotundifolia ; low spreading fern with dark green leathery pinnate leaves; leaflets first round, later oblong, 2" pots.....	20.00
TABLE FERNS , 2" pots, Summer Season to October 1st.....	15.00
during Winter Season.....	20.00
TABLE FERNS , 2" pots, August-September shipment on orders received by May 1st. Special price.....	per 1,000 90.00
POLYPODIUM madaianum ; Rabbit's-foot Fern bearing graceful bluish fronds; very durable, 2" pots.....	35.00

Stock offered subject to prior sale and subject to crop. In case of shortage or crop failure we will substitute nearest best unless advised to the contrary. If shipped express, charge for packing or crating 6% of list or cost. Truck deliveries can be made along our regular routes, at cost, saving packing charge. We find air shipments most satisfactory on long distance. Please specify.



Platycerium bifurcatum, 'Staghorn fern'



Cibotium schiedei, 'Mexican tree fern'




Nephrolepis bostoniensis compacta,
'compact Boston fern'



Polypodium aureum mandaianum,
'Blue Hare's foot fern'



Adiantum tenerum wrightii,
'Fan Maidenhair'



Pellaea rotundifolia, from New Zealand



Aspidium tsussimense 'Dwarf Polystichum'



Asplenium nidus, 'Birds-nest fern'



Cyrtomium falcatum roche fordianum,
'Holly fern'



Pteris cretica albo-lineata



Pteris ensiformis victoriae



Pteris quadriaurita argyrea



Pteris flabellata



Pteris tremula



Pteris cretica rivertoniana



Pteris cretica wilsonii



Pteris cretica wimsettii



Pteris adiantoides (Pellaea viridis)



Phyllitis scolopendrium cristatum



Pteris cretica parkeri



Adiantum decorum 'Pacific Maid'



Re-transplanting of table ferns, house No. 153



the tiny sporelings are transplanted to flats; house No. 180



Shipping department:
to meet inspection requirements, flats are screened with cheesecloth,
giving both protection as well as ventilation in transit.



Strongly crated in units of several flats, with maximum circulation of
air, the little ferns travel best if shipped undisturbed as they were grow-
ing in the greenhouses.